

## II. CLAIMS

1. (Currently Amended) A polynucleotide directed towards a gene of a catalytic subunit of human telomerase, wherein the polynucleotide specifically binds with the mRNA of the catalytic subunit of human telomerase in a target sequence region selected from the group consisting of region 2206-2225 (SEQ. ID NO 4) and region 2331-2350 (SEQ. ID NO 8), inhibits human telomerase expression and where the polynucleotide is an antisense oligonucleotide complementary to the target sequence region and is selected from the group consisting of SEQ ID NO 10 and SEQ ID NO 13.
2. (Currently Amended) The polynucleotide according to claim 1, wherein the polynucleotide consists ~~contains a oligonucleotide sequence selected from the group consisting of~~ SEQ ID NO 10 and SEQ ID NO 13.
3. Cancelled
4. (Previously Presented) The polynucleotide according to claim 1, wherein the polynucleotide is immobilized on a carrier selected from the group consisting of porous gels, aluminum oxide, bentonite, agarose, starch, nylon and polyacrylamide.
- 5-7. Cancelled

8. (Previously Presented) The polynucleotide according to claim 1, wherein the antisense oligonucleotide is modified by phosphothioate bonds.
9. Cancelled
10. (Previously Presented) A composition comprising a polynucleotide according to claim 1 in combination with a pharmaceutically tolerable carrier.
11. (Previously Presented) A kit comprising: a polynucleotide according to claim 1 and a pharmaceutically tolerable carrier.
12. Cancelled
13. (Withdrawn) Method for diagnosis, prophylaxis, therapy, follow-up and/or aftercare of diseases associated with cell growth, differentiation and/or division, comprising using a polynucleotide according to claim 1, optionally in combination with a pharmaceutically tolerable carrier.
14. (Withdrawn) The method according to the preceding claim, wherein the disease is a tumor.
15. (Withdrawn) The method according to claim 14, wherein the tumor is a solid tumor or a leukemia.
16. (Withdrawn) The method according to claim 15, wherein the solid tumor is a tumor of the urogenital tract and/or gastrointestinal tract.

17. Canceled.
18. Canceled.
19. (Withdrawn) The method according to claim 16,  
wherein the tumor of the urogenital tract is a  
bladder carcinoma and/or a metastase of said tumor.
20. (Withdrawn) The method according to claim 13,  
wherein the follow-up is monitoring the  
effectiveness of an anti-tumor treatment.
21. (Withdrawn) The method according to claims 13  
wherein the polynucleotide is used in a combination  
therapy.
22. Canceled.
23. (Withdrawn) The method according to claim 22,  
wherein the combination therapy comprises an  
adjuvant biologically specified form of therapy.
24. (Withdrawn) The method according to claim 23,  
wherein said form of therapy is an immune therapy.
25. (Withdrawn) The method according to claims 21,  
wherein the combination therapy is a gene therapy  
and/or a therapy using a polynucleotide against the  
same or other target molecule.
26. (Withdrawn) The method according to claims 13 for

increasing the sensitivity of tumor cells to  
cytostatic agents and/or radiation.

27. (Withdrawn) Method for inhibiting the vitality,  
the proliferation rate of cells, for inducing  
apoptosis and/or cell cycle arrest comprising the  
step of using a polynucleotide according to claim 1.

28. (Previously Presented) A polynucleotide directed  
towards a gene of a catalytic subunit of human  
telomerase, wherein the polynucleotide specifically  
binds with the mRNA of the catalytic subunit of  
human telomerase in a target sequence consisting of  
region 2206-2225 (SEQ. ID NO 4), inhibits human  
telomerase expression and where the polynucleotide  
is an antisense oligonucleotide complementary to the  
target sequence region consisting of SEQ ID NO 10.

29. Cancelled

30. (Previously Presented) A polynucleotide directed  
towards a gene of a catalytic subunit of human  
telomerase, wherein the polynucleotide specifically  
binds with the mRNA of the catalytic subunit of  
human telomerase in a target sequence region  
consisting of region 2331-2350 (SEQ. ID NO 8),  
inhibits human telomerase expression and where the  
polynucleotide is an antisense oligonucleotide  
complementary to the target sequence region  
consisting of SEQ ID NO 13.

31. Cancelled